

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

TDPL COVER SHEET

RELEASED BY:

- | | | |
|---|--------------------|------|
| 1. MANUFACTURE AND ACCEPTANCE INSPECTION OF THE ABOVE MATERIAL SHALL BE IN ACCORDANCE WITH ALL DRAWINGS, SPECIFICATIONS AND OTHER TECHNICAL DATA LISTED IN THIS TDPL. | | |
| 2. THIS TDPL IS COMPRISED OF THE FOLLOWING SECTIONS WHICH LIST THE DRAWINGS AND ASSOCIATED DOCUMENTS (WITH THEIR REVISION AND AMENDEMENT LEVELS) REQUIRED TO PRODUCE, PACKAGE AND INSPECT THE MATERIAL BEING PRODUCED. (NA INDICATES NOT APPLICABLE) | | |
| | FROM | TO |
| A. PRODUCT DRAWINGS AND ASSOCIATED LISTS | 0001 | 0001 |
| B. PACKAGING DRAWINGS AND DOCUMENTS | N/A | |
| C. INSPECTION DRAWINGS AND DOCUMENTS | N/A | |
| D. SPECIFICATIONS AND STANDARDS | 0002 | 0004 |
| E. HAZARDOUS COMPONENT SAFETY DATA STATEMENTS | N/A | |
| F. OUTSTANDING APPROVED ENGINEERING CHANGES | 0005 | 0005 |
| G. TDPL NOTE LEGEND | 0006 | 0006 |
| 3. DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS LISTED IN THE ABOVE TDPL SECTIONS ARE IDENTIFIED AS TO TYPE BY PREFIX CODES AS FOLLOWS: | | |
| NC: NON CATEGORIZED SPEC | PK: PACKAGING SPEC | |
| 4. THE SPECIFICATIONS AND STANDARDS SECTION OF THE TDPL IS A COMPILATION OF ALL SPECIFICATIONS AND STANDARDS WHICH ARE ESSENTIAL FOR BIDDING AND MANUFACTURING PURPOSES. THE ABSENCE OF ANY SPECIFICATION OR STANDARD FROM THE LISTING WHICH IS OTHERWISE REFERRED TO IN ANY SPECIFICATION OR STANDARD LISTED THEREIN OR IS CALLED OUT ON A PRODUCT, PACKAGING OR INSPECTION DRAWING IS NOT TO BE CONSTRUED AS CONSTITUTING RELIEF FROM REQUIREMENTS OF THE SPECIFICATIONS. THE REVISION OR AMENDMENT FOR SUCH UNLISTED SPECIFICATIONS AND STANDARDS SHALL BE SPECIFIED IN THE LATEST ISSUE OF DOD INDEX OF SPECIFICATIONS AND STANDARDS IN EFFECT AS OF THE DATE OF THIS TDPL. SUPERCEDED SPECIFICATIONS AND STANDARDS WHICH MAYBE REFERENCED ON DRAWINGS ARE LISTED TOGETHER WITH THE APPROPRIATE SUPERCEDING SPECIFICATION OR STANDARD. WHEN INTERIM CHANGES TO SPECIFICATIONS AND STANDARDS ARE ISSUED (AMENDMENTS, NOTICES OR CHANGE NOTICES), ONLY THE LATEST ISSUE IS LISTED IN THE TDPL. WHERE THESE INTERIM CHANGES ARE NOT CUMULATIVE, ALL PREVIOUS ISSUES ALSO APPLY, UNLESS THE DOCUMENT ITSELF STATES OTHERWISE. | | |
| 5. ALL REFERENCES ON DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS TO PICATINNY, FRANKFORD OR ROCK ISLAND ARSENALS WILL BE CONSIDERED AS CHANGED TO COMMANDER, ARDEC, ATTN: AMSRD-AAR-AIC, PICATINNY , NJ 07806-5000 | | |
| 6. ALL REFERENCES TO PARTS LISTS ON US ARMY TANK AUTOMOTIVE COMMAND (TACOM) DRAWINGS SHALL BE DISREGARDED | | |

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

TDPL COVER SHEET

RELEASED BY:

7. THE HIGHEST SECURITY CLASSIFICATION CONTAINED WITHIN THIS TECHNICAL DATA PACKAGE IS:

"N NON-CLASSIFIED

THE SECURITY CLASSIFICATION OF DRAWINGS/DOCUMENTS, ASSOCIATED LISTS AND SPECIFICATIONS/STANDARDS ARE SHOWN BY CODE UNDER THE SEC CL COLUMN.

8. DISTRIBUTION STATEMENT: THE HIGHEST DISTRIBUTION CODE CONTAINED WITHIN THIS TDPL IS:

"A DISTR STATEMENT A - UNLIMITED

THE DEFINITIONS OF DISTRIBUTION CODES ARE:

A: UNLIMITED

B: US GOVERNMENT (CONTROLLING DOD OFFICE)

C: GOVT AND CONTRACTORS (CONTROLLING DOD OFFICE)

D: DOD AND CONTRACTORS (CONTROLLING DOD OFFICE)

E: DOD ONLY (CONTROLLING DOD OFFICE)

F: REQUEST APPROVAL OF (CONTROLLING DOD OFFICE)

X: CERTIFIED CONTRACTORS (CONTROLLING DOD OFFICE)

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

PREFIX CODE	DRAWING/DOCUMENT SIZE CAGE NUMBER	-SHEET- NO OF	D C	REV SYM	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
----------------	--------------------------------------	------------------	--------	------------	------------------	-----	----------------	------

PRODUCT DRAWING AND ASSOCIATED LISTS

E	19200 12579607	001 0001	A	B	10/18/1993		GEOMETRIC SYMBOLS F/DIMENSIONING AND TOLERANCING	REF
D	19200 7553296	001 0001	A	K	10/06/1992		BOX,AMMUNITION,M2A1 ASSEMBLY	
C	19200 7553304	001 0001	A	E	02/21/1997		HANDLE, COVER	
B	19200 7553305	001 0001	A	E	02/21/1997		CLIP, COVER HANDLE	
B	19200 7553311	001 0001	A	F	02/21/1997		LINK, LATCH	
B	19200 7580052	001 0001	A	H	02/21/1997		LINK, COVER HANDLE	
B	19203 9217652	001 0001		B	07/26/1982		HASP	
D	19203 9217654	001 0001		B	07/26/1982		COVER	
C	19203 9217655	001 0001		B	07/26/1982		GASKET,COVER	
F	19203 9217656	001 0001		C	04/16/1990		COVER ASSEMBLY	
B	19203 9218051	001 0001		B	07/26/1982		HINGE,COVER	
B	19203 9218386	001 0001		C	05/08/1984		PIN, HINGE	
B	19203 9218387	001 0001		B	07/26/1982		HINGE, BODY	
C	19203 9218967	001 0001		B	07/26/1982		LATCH	
C	19203 9218969	001 0001		B	07/26/1982		BOTTOM	
F	19203 9234841	001 0001		C	01/18/1991		BODY	
F	19203 9234842	001 0001		C	01/18/1991		BODY ASSEMBLY	
F	19203 9234843	001 0001		F	06/18/1998		CNTNR, AMMUNITION METAL, PA60, ASSEMBLY	

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

QPL CODE	DOCUMENT NUMBER	D C	REV SYM	AMD NO.	CHG NO.	SUPPL NO.	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
-------------	--------------------	--------	------------	------------	------------	--------------	------------------	-----	----------------	------

SPECIFICATIONS AND STANDARDS

	MIL-A-2550		B	1	1		02/09/1995		AMMUNITION, GENERAL SPECIFICATION FOR	*
	MIL-C-10578		D		3		04/22/1998		CORROSION REMOVING & METAL CONDITIONING	*
Q	MIL-DTL-11195		G				07/31/2003		ENAMEL, LUSTERLESS, FAST DRY	*
	MIL-L-11195				(REPLACED BY	MIL-DTL-11195)			
Q	MIL-E-52891	A	B				01/28/1988		ENAMEL,LUSTERLESS, ZINC PHOSPHATE	*
	MIL-F-13926	A	B	5	1		02/09/1995		FIRE CONTROL MATERIAL, MANUFACTURE AND I	*
	MIL-HDBK-205	A	A				07/15/1985		PHOSPHATE AND BLACK OXIDE COATING OF FER	*
	MIL-I-45607	A	C		4		12/20/2002		INSPECTION EQPT, ACQ, MAINT & DISPN OF	*
	MIL-S-60386		B		2		02/09/1996		SHIPPING AND STORAGE CONTAINER FUZE, PA2	*
	MIL-STD-1168	A	B				06/10/1998		AMMO LOT NUMBER AND AMMO DATA	*
	MIL-STD-129		P		3		10/29/2004		STANDARD PRAC FOR MIL MARKINGS	*
	MIL-STD-171	A	E		1		11/19/2001		FINISHING OF METAL AND WOOD SURFACES	*
	MIL-STD-1916	A	-				04/01/1996		DOD PREFER METHODS F/ACCEPTANCE	*
	MIL-STD-414				(REPLACED BY	MIL-STD-1916)			
	MIL-STD-1916	A	-				04/01/1996		DOD PREFER METHODS F/ACCEPTANCE	*
	MIL-STD-105				(REPLACED BY	MIL-STD-1916)			
	MIL-STD-1916	A	-				04/01/1996		DOD PREFER METHODS F/ACCEPTANCE	*
	MIL-STD-2073-1	A	D		1		05/10/2002		DOD STAND PRAC F MILITARY PKGS	*
	MIL-STD-2073-1	A	D		1		05/10/2002		DOD STAND PRAC F MILITARY PKGS	*
	MIL-P-116				(REPLACED BY	MIL-STD-2073-1)			

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
 DOCUMENT NUMBER : F 9234843:19203
 SPECIFICATION : MIL-F-13926:NCAGE
 NATIONAL STOCK NO : 8140-00-198-4697
 CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

QPL CODE	DOCUMENT NUMBER	D C	REV SYM	AMD NO.	CHG NO.	SUPPL NO.	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
-------------	--------------------	--------	------------	------------	------------	--------------	------------------	-----	----------------	------

SPECIFICATIONS AND STANDARDS

MIL-STD-406	-						02/01/1957		VISUAL INSPECT STDS F/TERNE PLATE	*
QQ-S-698	A	-	4				08/06/2002		STEEL SHEET AND STRIP, LOW CARBON	*
TT-C-490	A	E					07/22/2002		CLEANING METHODS FOR FERROUS SURFACES AN	*
AMS-QQ-P-416		B					10/01/2004		PLATING, CADMIUM (ELECTRODEPOSITED)	**
QQ-P-416				(REPLACED BY	AMS-QQ-P-416)			
ASTM-A108	-						06/01/2005		STEEL BARS,CARBON,COLD FINISH,STD QUAL,S	**
ASTM-A109/A109M	-						09/10/2003		STD SPEC FOR STEEL, STRIP, CARBON	**
ASTM-A109				(REPLACED BY	ASTM-A109/A109M)			
ASTM-A116	-						06/10/2000		STD SPEC FOR MATALLIC-COATED STEEL	**
ASTM-A121	-						05/01/2004		STANDARD SPEC FOR METALLIC-COATED STEEL	**
ASTM-A227/A227M	-						05/01/2005		STEEL WIRE,COLD-DRAWN FOR MECH SPRINGS,	**
ASTM-A227				(REPLACED BY	ASTM-A227/A227M)			
ASTM-A228/A228M	-						03/10/2002		STD SPEC F/STEEL WIRE MUSIC QUAL	**
ASTM-A228				(REPLACED BY	ASTM-A228/A228M)			
ASTM-A228/A228M	-						03/10/2002		STD SPEC F/STEEL WIRE MUSIC QUAL	**
ASTM-A568/A568M	-						05/01/2005		STEEL,SHT,CARBON,H STR,L ALY,HOT & COLD	**
ASTM-A568				(REPLACED BY	ASTM-A568/A568M)			
ASTM-A576		B					01/01/2000		STEEL BARS,CARBON,HOT-WROUGHT,SPECIAL QU	**
ASTM-A82	A	-					09/10/2002		STEEL WIRE,PLAIN,FOR CONCRETE REINFORCEM	**
ASTM-A853		-					03/01/2004		STD SPEC F/STEEL WIRE, CARBON	**

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

QPL CODE	DOCUMENT NUMBER	D C	REV SYM	AMD NO.	CHG NO.	SUPPL NO.	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
-------------	--------------------	--------	------------	------------	------------	--------------	------------------	-----	----------------	------

SPECIFICATIONS AND STANDARDS

ASTM-B633	-						08/01/2001		STD SPEC FOR ELECTRODEPOSITED CTG OF ZIN	**
ASTM-D3951	A	-					01/01/2004		STD PRACTICE FOR COMMERCIAL PKG	**
MIL-STD-1169				(REPLACED BY			ASTM-D3951)	
AWS-A2.4	-						01/01/1998		SYMBOLS FOR WELDING AND NON-DESTRUCTIVE	**
AWS-A2.0				(REPLACED BY			AWS-A2.4)	
AWS-A3.0	-						01/01/2001		WELDING TERMS AND DEFINITIONS	**
ISO-9000	A	-					04/17/2001		QUALITY MANAGEMENT SYSTEMS	**
MIL-STD-109				(REPLACED BY			ISO-9000)	
MIL-HDBK-132	A				1		03/13/1997		PROTECTIVE...CNX...W/O REPLACEMENT	***
MIL-R-3065	E				2		01/21/2000		RUBBER.....CNX... REFER TO ASTM-D2000	***
MIL-STD-417	A				4		12/05/1995		CLASS.....CNX.. W/O REPLACEMENT	***
TT-E-485	-				1	2	07/13/1999		ENAMEL...CNX...W/O REPLACEMENT	***
TT-E-516	A					3	10/03/2000		ENAMEL...CNX...USE MIL-E-52891	***

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

PREFIX CODE	DRAWING/DOCUMENT CAGE	AFFECTED NUMBER	NUMBER OF IMAGES	ECP NUMBER	DISTRIBUTION CODE	APPROVAL DATE	CHANGE CLASS
----------------	--------------------------	--------------------	---------------------	---------------	----------------------	------------------	-----------------

OUTSTANDING APPROVED ENGINEERING CHANGES

NOTE - THE FOLLOWING ENGINEERING DOCUMENTS ARE AFFECTED BY APPROVED ENGINEERING CHANGE PROPOSALS (ECPS) WHICH HAVE NOT BEEN INCORPORATED INTO THE AFFECTED DOCUMENTS. THE APPROVED ENGINEERING CHANGE PROPOSALS (ECPS) IDENTIFIED BELOW ARE INCLUDED WITH AND FORM A PART OF THIS TECHNICAL DATA PACKAGE

19200	7553296	1	R05Y2012	05/05/2005	2
-------	---------	---	----------	------------	---

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 9234843:19203
DOCUMENT NUMBER : F 9234843:19203
SPECIFICATION : MIL-F-13926:NCAGE
NATIONAL STOCK NO : 8140-00-198-4697
CNTNR, AMMUNITION METAL, PA60, ASSEMBLY

REQUEST/PRON ID: U13B0L17M2

TDPL NOTE LEGEND

DESCRIPTION OF SYMBOLS IN THE NOTE LEGEND

- * -Not Furnished - To be obtained from Defense Automated Printing Service
<http://dodssp.daps.mil/>
- ** -Not Furnished - Commercial specifications and standards may be
obtained from the publishers. They are not available from government
sources.
- *** -Not Furnished - Supplied only upon request submitted to the procuring
contract officer.
- **** -Not Furnished - Supplied only by request to program/project manager.
- ***** -MIL-STD-105, MIL-STD-414, MIL-STD-1235, ANSI-ASQC-Z1.4 and ASQC-Z1.4
are replaced by MIL-STD-1916. Unless otherwise stated in the
contract, Verification levels (VL) shall replace AQLs and shall be VL
IV for major characteristics and VL II for minor characteristics. All
other technical data conditions remain unchanged.
- REF - reference Drawing.
- Q - The Letter (Q) before the specification number indicates that
a qualified products list is required. The number of the QPL is the
same as the number of the specification
- CS - Computer software document - The print of this drawing included in the
technical data package is not to be used for manufacture. A computer software
program in disk or magnetic tape format will be furnished by the procuring
contracting officer upon request.